

REFERENCES

Advilkar,P.J(2008): Propagation of sound in oceans. A summer internship project report, Department of Physics, Wadia College, Pune & National Institute of Oceanography, Goa.

Antony, M. K. (1990). Northward undercurrent along west coast of India during upwelling — Some inferences. *Ind. J. Mar. Sci.*, 19, 95–101.

Babu, M.T., Prasanna Kumar, S. and Rao, D.P. (1991): A subsurface cyclonic eddy in the Bay of Bengal, *J. Mar. Res.*, 49, 402-410.

Babu, M.T., Y.V.B. Sarma, V.S.N. Murty, P. Vethamony, (2003): On the circulation in the Bay of Bengal during northern spring inter-monsoon (March-April 1987), *Deep-SeaRes (II)*., 50, 855-865.

BalaKrishna Patidar (2006): M.Sc dissertation entitled application of remote sensing and GIS in the analysis of environment of Bay of Bengal of Barkatulla University, 64pp college, Pune and National Institute of Oceanography, Goa.

Balaramamurty,C (1958): On the temperature and salinity structures of the Bay of Bengal. *Current science* 27, 249.

Bauer, S., Hitchcock, G. L. and Olson, D. B. (1991): *Deep-Sea Res.*, , **38**, 531–553.

Bjerknes, V., and J. W. Sandstrom.(1910): Dynamic meteorology and hydrography. Pt. I, Statics. Carnegie Inst. Washington, Pub. No. 88, 146 pp. + tables

Bjerknes, J., 1969: Atmospheric Tele-connections from the equatorial Pacific. *Mon. Weath. Rev.*, 97: 163.172.

Broecker, W (1991): The Great Ocean Conveyor, *Oceanography*, 4, 79-89.

Bruce, J.G., Kindle, J.C., Kantha, L. H., Kerling, J. L. and Bailey, J. F. (1998): Recent observations and modeling in the Arabian Sea Laccadive High region, *J. Geophys. Res.*, 103, 7593-7600.

Chelton, D.B., Michael. G. Schlax., Roger. M. Samelson, Roland. A. de. Szoeki, (2007): Global observations of westward energy propagation in the ocean: Rossby waves or nonlinear eddies, submitted to *Science*.

Conkright, M.E., R.A. Locarnini, H.E. Garcia, T.D. O' Brien, T.P. Boyer, C. Stephens, J.I. Antonov, (2002): World Ocean Atlas 2001: Objective Analysis, Data statistics and Figures, CD-ROM documentation, National Oceanographic Data center, Silver Spring,MD, 17pp.

Cox, R.A and N.D.Smith (1959): The specific heat of sea water. *Proc.Roy.Soc.,(London) A*, vol.252, pp51-62

Cromwell, T., R.B. Montgomery and E.D. Stroup (1954): Equatorial under current in Pacific Ocean revealed by new methods, *Science*, vol. 119, pp 648-649.

Cutler, A.N and Swallow, J.C (1984): Surface currents of the Indian Ocean (To 25°S, 100°E), *Inst. Oceanogr. Sci.*, Wormley, U.K, Rep. No. 187, 42 p.

Dabyshire, M. (1967): The surface waters off the coast of Kerala, South west India. *Deep Sea Res.*, 14, 295-320.

Das, P.K. (2001): The Climate: in the Indian ocean- a perspective, ed: R. Sengupta & Ehrlich Desai. Vol. I, 54 pp. *Oxford and IBH*, New Delhi. (www.drs.nio.org)

Da Silva, A., C.C. Young and S. Levitus (1994): Atlas of surface Marine data 1994 vol. 1. Algorithms and procedures. NOAA Atlas, NESDIS 6, U.S. Dept of Commerce, Washington, D.C, 83pp.

Dengler, M., Quadfasel, D., Schott, F. and Fischer, J. (2002): Abyssal circulation in the Somali Basin. *Deep-Sea Res. Part II*, 9, 1297-1322.

Deacon, G.E.R. (1937): The hydrology of the southern Ocean. *Discovery Reports*, vol. 15, pp 1-124, Cambridge Univ. press, London

Dietrich G., K. Kalle, W. Krauss, and G. Siedler. 1980. General Oceanography. 2nd ed. Translated by Susanne and Hans Ulrich Roll. New York: John Wiley and Sons (Wiley-Interscience).

Duing, W. (1970): The monsoon regime of the currents in the Indian Ocean. East West Centre Press, University of Hawaii, Honolulu, 68pp.

Duing, W., and Schott, F. (1978): Measurements in the source region of the Somali Current during the monsoon reversal. *J. Phys. Oceanogr.*, 8, 278-289.

Eigenheer, A., and Quadfasel, D. (2000): Seasonal variability of the Bay of Bengal circulation inferred from TOPEX/POSEIDON altimetry. *J. Geophys. Res.*, 105, 3243-3252.

Ekman, V.W (1914): Der adiabatische Temperaturgradient im Meere. *Ann.d.Hydr.u.Marit. Meteorol.* Vol. 42, pp 340-344

Emery, W.J and Meincke, J (1986): Global water masses: summary and review, *Ocean. Acta*, Vol. 9, No. 4, pp. 383-391.

Findlater, J. (1969): A major low-level air current near the Indian Ocean during the northern summer. *Q. J. Roy. Met. Soc.*, 95:362-380.

Findlater J. (1971): Mean monthly air flow at low levels over the western Indian Ocean. *Geophys. Mem.* 53; HMSO: London.

Fieux, M., Andrieu, C., Delecluse, P., Ilahude, A. G., Kartavtseff, A., Mantisi, F., Molcard, R., and Swallow, J. C. (1994): Measurements within the Pacific-Indian Oceans Throughflow region. *Deep-sea Res.* I, 41, 1091-1130.

Fieux, M., Molcard, R., and Ilahude, A. G. (1996): Geostrophic transport of the Pacific-Indian Oceans Throughflow. *J. Geophys. Res.*, 101, pp12421– 12432.

Fofonoff, N.P., Hayes, S.P., and Millard, R.C (1974): WHOI/Brown CTD Microprofiler: Methods of calibration and data handling, Woods Hole Oceanographic Institute Tech. rep. 74-78, Woods Hole, Massachusetts, 66pp.

Fu, L. (1986): Mass, heat and freshwater fluxes in the South Indian Ocean. *J. Phys. Oceanogr.*, 16, 1683-1693.

Gallagher, J.F (1966): The variability of water masses in the Indian Ocean, Washington, DC: National Oceanographic Data Centre.

Gill, A. E. 1982: Atmosphere-Ocean Dynamics, volume 30 of *International Geophysics Series*. Academic Press, Inc., San Diego, CA 92101, USA,

Godfrey, J. S., and Ridgeway, K. R. (1985): The large scale environment of the poleward flowing Leeuwin Current, western Australia: longshore steric height gradients, wind stresses and geostrophic flow. *J. Phys. Oceanogr.*, 15, 481–495.

Gopalan, A.K.S., V.V. GopalaKrishna, M.M. Ali, R. Sharma, (2000): Detection of Bay of Bengal eddies from TOPEX and *insitu* observations, *J. Mar. Res.*, 58, 721-734.

Gopalakrishna, V.V., Sastry, J.S. (1985): Surface circulation over the shelf off the east coast of India during the south west monsoon. *Indian J. Mar. Sci.*, 14, 62-65.

Gopinathan C.K. and D.Panakala Rao (1985): Surface temperature Pattern of the Indian Ocean before summer monsoon, *Mahasagar*, 18(2), 1985, 281-292.

Gordon, A.L (1986): Inter Ocean exchange of thermocline water. *J.Geophys. Res.*, 91, 5037-5046.

Gordon, A. L., and Susanto, R. D. (1999): Makassar Strait transport: initial estimate based on Arlindo results. *MTS Journal*, 32, 34–45.

Harris, T. F. W. (1972): Sources of the Agulhas Current in the spring of 1964. *Deep-Sea Res.*, 19, 633-650.

Hastenrath, S. and Lamb, P. J., (1980): Climatic Atlas of the Indian Ocean Part 2. The Oceanic heat budget. University of Wisconsin Press, 110pp.

Haugen, V. E., O. M. Johannessen, and G. Evensen (2002): Indian Ocean: Validation of the Miami Isopycnic Coordinate Ocean Model and ENSO events during 1958 – 1998, *J. Geophys. Res.*, 107(C5), 3043, doi:10.1029/ 2000JC000330, 2002.

Helland-Hansen, B (1930): Physical Oceanography and meteorology.”Michael Sars” North Atlantic Deep sea expedition, 1910. *Rept. Sci.results* Vol.I, Art.2, 217pp.

Hesselberg, Th., and H.U. Sverdrup (1914): Die Stabilitätsverhältnisse des Seewassers bei vertikalen Verschiebungen. Bergens Museums Aarbok, no. 14, 17pp.

Knudsen, M (1901): Hydrographische Tabellen. G.E.C. Gad, Copenhagen and L. Friederichsen, Hamburg, 63pp.

Knox, R. (1976): On a long series of measurements of Indian Ocean equatorial currents near Addu Atoll. *Deep-Sea Res.*, 23, 211–221.

Koninklijk Nederlands Meteorologisch Instituut. (K.N.M.I.) (1952): Indian Ocean, oceanographic and meteorological data. Koninklijk Nederlands Meteorologisch Instituut, publication 135.

La Casce, J.H, Joseph. Pedlosky, (2004): The instability of Rossby basin mode and the oceanic eddy field, *J. Phys. Oceanogr.*, 34, 2027–2041.

La Fond E.C (1951): Processing of Oceanographic data, U.S. Navy Hydrographic Office, *H.O. Publ. No. 614*, Washington D.C.

La Fond, E.C (1957): Oceanographic studies in the Bay of Bengal, *Proc. Indian. Acad. Sci.*, 46B, 1–43.

La Fond, E.C (1958): On the circulation of the surface layers on the east coast of India, *Andhra Univ. Memoirs in Oceanography*, Vol. 2, pp. 1–11.

Lamb, H.H (1972): Climate: present, past and future, Vol. 1: *Fundamentals and climate now*, London, Methuen & company Ltd.

Levitus, S. (1982): Climatological atlas of the world ocean. *NOAA Professional Paper 13*, 173 pp., U.S. Government Printing Office, Washington D.C.,

Levitus, S. and T. P. Boyer (1994): World Ocean Atlas 1994 Volume 4: Temperature. *NOAA Atlas NESDIS 4*. 129 pp,

Levitus, S., R. Burgett, and T. P. Boyer (1994): World Ocean Atlas 1994 Volume 3: Salinity. *NOAA Atlas NESDIS 3*. 111 pp,

Levitus, S. (1994): World Ocean Atlas 1994-CD-ROM dataset : U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Environmental Satellite Data and Information Service, National Oceanographic Data Centre, Ocean Climate Laboratory.

Lewis, E.L. (1980): The practical salinity scale 1978 and its antecedents. *IEEE J. Ocean. Eng.*, OE-5 (1): 3–8.

Leetmaa, A., and Stommel, H. (1980): Equatorial current observations in the western Indian Ocean during 1975 and 1976. *J. Phys. Oceanogr.*, 10, 258–269.

Leetmaa, A. (1982): Development of the flow field during the onset of the Somali Current. *J. Phys. Oceanogr.* 12, 23–28.

Leetma A, Quadfasel, D.R and Wilson,D (1982): Development of the flow field during the onset of the Somali current. *J.Phys.Oceanogr.* 12, 1325-1342.

Lukas, R. and Lindstrom, E. 1991:The mixed layer of western equatorial Pacific Ocean. *J. Geophys. Res.*, 96, 3343–3357.

Lutjeharms, J. R. E., Bang, N.D., and Duncan, C. P. (1981): Characteristics of the currents east and south of Madagascar. *Deep-Sea Res.*, 28, 879-899.

Lutjeharms, J.R.E and Van Ballegooyen, R. C. (1988). The Retroflection of the Agulhas Current. *J. Phys. Oceanogr.*, 18, 11, 1570-1583.

Lutjeharms, J.R.E., (2006): The Agulhas Current, the text book, *Springer*, Berlin, Germany, 329pp.

Lutjeharms, JRE. (2006): The coastal oceans of south-eastern Africa. In *The Sea, Vol 14B*, editors Robinson, AR and Brink, KH. Harvard University Press, Cambridge MA. Pp. 783-834.London, Methuen & company Ltd.

Lutjeharms, JRE. (2007): Three decades of research on the greater Agulhas Current. *Ocean Sci.*,3, 129-147.

Luyten, J.R; J. Pedlosky and H.Stommel (1983): The ventilated thermocline. *J. Phys.Oceanogr.*, 13, 292-309.

Maslennikov, V.V (1973): Oceanographic investigations in the Andaman Sea and the northern part of the Bay of Bengal, In: Soviet fisheries investigations in the Indian Ocean, edited by A.S. Bogdanov, (Programme for Scientific Translation (English Translation), Jerusalem, Israel, pp. 42-51.

Mc Creary, J. P. Jr., Kundu, P. K., and Molinari, R. L. (1993): A numerical investigation of dynamics, thermodynamics and mixed layer processes in the Indian Ocean. *Progr. Oceanogr.*, 31, 181–244.

Mc Creary, J. P., Kohler, K.E., Hood,R.R., Olson, D.B. (1996): A four component ecosystem model of biological activity in the Arabian Sea. *Prog. Oceanogr.*, 37: 193-240.

Millero,F.J.,Gonzalez, A and Ward G.K (1976): The density of sea water solutions at one atmosphere as a function of temperature and salinity. *J.Mar..Res.*, 34(1):61-93

Molinari, R. L., Olson, D., and Reverdin, G. (1990): Surface current distributions in the tropical Indian Ocean derived from compilations of surface buoy trajectories. *J. Geophys. Res.*, 95, 7217–7238.

Montgomery,R.B.and Wooster W.S.(1954): Thermosteric anomaly and the analysis of serial Oceanographic data. *Deep Sea Res.* 2, 63-70

Montgomery, R.B (1958): Water characteristics of Atlantic Ocean and of world Ocean. *Deep sea Res.*, Vol.5, pp134-148.

- Morrison, J.M and D.B. Olson (1992): Seasonal basin wide extremes in T-S characteristics in the near surface waters of the Arabian Sea and Somali basin. In: *Oceanography of the Indian Ocean* (Ed.) B.N. Desai, Oxford & IBH Publication, New Delhi, pp 605-616.
- Munk W.H., R.C. Spindel, A. Baggeroer, and T.G. Birdsall. (1994): The Heard Island feasibility test. *Journal of the Acoustical Society of America* 96 (4): 2330–2342.
- Murty, V.S.N., Sarma, Y.V.B., Rao, D.P., Murty, C.S. (1992a): Water characteristics, mixing and circulation in the Bay of Bengal during southwest monsoon. *J. Mar. Res.*, 40, -228
- Murty, V.S.N., Sarma, Y.V.B., Babu, M.T., Rao, D.P. (1992b): Hydrography and circulation in the northwestern Bay of Bengal during the retreat of southwest monsoon. *Proc. Ind. Acad. Sci., Earth and Planet. Sci.*, 167-75
- Murty, V.S.N., A. Suryanarayana, D.P. Rao, (1993): Current structure and volume transport across 12°N in the Bay of Bengal, *Indian. J. Mar. Sci.*, 22, 12-16.
- Murty, C.S & V.S.N.Murty, (2001): Physical Oceanography, the Indian Ocean: A perspective, Ed. by Sengupta, R; Desa Ehrlich, Vol.I, 54 pp. URI:<http://hdl.handle.net/2264/1595>
- Murukesh, N (2007): Role of eddies in the Bay of Bengal circulation and hydrography and in the distribution of nutrients and chlorophyll. *Ph.D thesis awarded by Goa University*, 117pp
- Nayak, R.K.(2005): Coupling between the north Indian ocean and the monsoons (a model based study of the thermal structure cycling in the central Arabian sea) thesis submitted to the Goa university for the degree of doctor of philosophy in physics,130pp
- Narvekar Jayu (2008): Seasonal variability of the upper Ocean driven by the atmospheric forcing and its regulation of nutrients and chlorophyll in the Bay of Bengal. *PhD thesis of Goa University*.135pp.
- Pant, A.,(1992): In *Oceanography of the Indian Ocean* (ed. Desai, B. N.), *Oxford & IBH*, New Delhi, , pp. 81–90.
- Pickard, G.L.& William J Emery(1985): Descriptive Physical Oceanography, an introduction, 4th (SI) Enlarged edition, *Pergamon Press*. 249pp.
- Prasanna Kumar, S and Prasad, T.G (1999): Formation and spreading of Arabian Sea high-salinity water mass, *J Geophys. Res.* Vol. 104, No. C1, pp. 1455-1464.
- PrasannaKumar, S., N. Ramaiah, M. Gauns, V.V.S.S, Sarma, P.M. Muraleedharan, S. Raghukumar, M. DileepKumar, M. Madhupratap, (2001): Physical forcing of biological productivity in the northern Arabian Sea during the northeast monsoon, *Deep-Sea Res., (II)*, 48(6-7), 2001, 1115-1126.
- Prasanna Kumar, S., M. Nuncio, Jayu Narvekar, Ajoy Kumar, S. Sardesai, S.N. Desouza, Mangesh Gauns, N. Ramaiah, M. Madhupratap, (2004): Are Eddies nature's trigger to enhance biological productivity in the Bay of Bengal?, *Geophysical Research Letters*, 31, L07309, doi:10.1029/2003GL019274.

Prasanna Kumar, S., and Jayu Narvekar, (2005): Seasonal variability of mixed layer in the central Arabian Sea and its implication to nutrients and primary productivity, *Deep-Sea Research II*, 52, 1848-1861.

Premchand, K. (1981): Some aspects of the intermediate water mass structure in the western Indian Ocean. *Ph.D thesis*. Andhra University, Waltair.

Premchand, K., Sastry, J. S., & Murty, C. S. (1986a): Watermass structure in the western Indian Ocean—part ii: the spreading and transformation of the Persian Gulf water. *Mausam*, 37, 179–186.

Premchand, K., Sastry, J. S., & Murty, C. S. (1986b): Watermass structure in the western Indian Ocean—part II: the spreading and transformation of the Red Sea watermass. *Mausam*, 37, 317–324.

Potemra, J.T., M.E. Luther, J.J. O'Brien, (1991): The seasonal circulation of the upper ocean in the Bay of Bengal, *Journal of Geophysical Research*, 96, 12667-12683.

Quadfasel, D and F. A. Schott (1983): Southward subsurface flow below the Somali Current. *Journal of Geophysical Research*, 88:5973–5979, 1983.

Ramasastriy. A.A., C. Balaramamurty, (1957): Thermal fields and oceanic circulation along the east coast of India, *Proc. Indian. Acad. Sci.*, 46, 293-323.

Rao, L.V.G & Jayaraman, R (1968a): Hydrographical features of the southern and central Bay of Bengal during the transition period between winter and summer. *Bulletin of National Institute of Sciences India* 38, 184-205.

Rao, L.V.G & Jayaraman, R (1968b): Vertical distribution of temperature, salinity and density in the upper 500 m of the north equatorial Indian Ocean during the northeast monsoon period. *Bulletin of National Institute of Sciences India* 38, 123-147.

Rao, D.P., J.S. Sastry, (1981): Circulation and distribution of some hydrographical properties during the late winter in the Bay of Bengal, *Mahasagar-Bull. natn. inst. oceanogr.*, 14, 1-16.

Rao, L.V.G. and P.Shri Ram and C.S.I.R (2005): Upper Ocean Physical processes in the tropical Indian Ocean, April 2005, *a monograph prepared under CSIR emeritus scientist scheme* (URI:<http://hdl.handle.net/2264/93>)

Reppin, J., Schott, F. A., Fischer, J., and Quadfasel, D. (1999): Equatorial currents and transports in the upper central Indian Ocean: annual cycle and interannual variability. *J. Geophys. Res.*, 104, 15495–15514.

Reverdin, G. (1987): The Upper Equatorial Indian Ocean. The climatological Seasonal Cycle. *J. Phys. Oceanogr.*, Vol. 17, 7, 903-927.

Reddy, M.P.M (2001): Descriptive Physical Oceanography, *Oxford & IBH Publishing Co. Pvt. Ltd.*, New Delhi, 440 p.

Rohde, J., (1998): The Baltic and North Seas: A process-oriented review of the physical Oceanography. In *The Sea, Vol 11*, Eds. A.R Robinson and K. H. Brink, John Wiley, New York

Rochford, D. J.(1964): Salinity maxima in the upper 1000 meters of the north Indian Ocean. *Australian Journal of Marine and Freshwater Research*, 15:1–24, 1964.

Rohde, J (1998): The Baltic and the North seas: A process – oriented review of the physical oceanography, In *The Sea Vol.11*, John Wiley, New york.

Ruijter, De W.P.M., H. Ridderinkhof, J.R.E. Lutjeharms, M.W. Schouten and C. Veth (2002): Direct observations of flow in the Mozambique Channel. *Geophys. Res. Lett.* 29.

Sanilkumar, K.V., T.V. Kuruvilla, D. Jogendranath, R.R Rao, (1997): Observation of the western boundary current of the Bay of Bengal, *Deep-Sea Research*(1), 44, 135-145.

Sastry, J.S, Rao, D.P, Murty, V.S.N, Sarma, Y.V.B, Suryanarayana, A. and Babu, M.T (1985): Watermass structure in the Bay of Bengal, *Mahasagar – Bull. Nat. Inst. of Oceanography*, Vol. 18(2), pp. 153-162.

Sengupta,Rabin & Ehrlich Desa (2001): The Indian ocean – a Perspective, published by Taylor & Francis. Vol.I, 54 pp.*Oxford and IBH*, New Delhi, URI:<http://hdl.handle.net/2264/1595> (www.drs.nio.org)

Scherbinin, A.D., Arse'yev, V. S., and Golddin, YU. A. (1979): The western boundary current of the Bay of Bengal, *Dokl. Acad. Sci. USSR, Earth Sci. Sect.*, English Translation, 244, 167-168.

Shcherbinin.A.D.(1969): Water structure of the equatorial Indian Ocean. *Oceanology* 9, 487-495.

Schott, F.(1983): Monsoon response of the Somali Current and associated upwelling. *Progress in Oceanography*, 12:357–381, 1983

Schott, F. (1986): Seasonal variation of cross-equatorial flow in the Somali Current. *J. Geophys. Res.*, 91, 10581–10584.

Schott, F., Swallow, J. C., and Fieux, M. (1990): The Somali Current at the equator: annual cycle of currents and transports in the upper 1000 m and connection to neighboring latitudes. *Deep-Sea Res.*, 37, 1825–1848.

Schott, F., J. Reppin, D. Quadfasel and J. Fischer, 1994: Currents and transports in the Monsoon Current south of Sri Lanka. *J. Geophys. Res.*, 99, 25,127-25,141.

Schott, F. A and J. Fischer (2000): Winter monsoon circulation of the northern Arabian Sea and Somali Current. *J. Geophys. Res.*, 105:6359–6376, 2000.

Sewell, R.B.S. (1929): Temperature and salinity of the surface waters of the by of Bengal and Andaman Sea with reference to the Laccadive Sea. *Memoirs of the Asiatic Society of Bengal*, 9, 207-356.

Sewell, R.B.S (1932): Temperature and salinity of the deeper waters of the Bay of Bengal and Andaman Sea. *Memoirs of the Asiatic Society of Bengal* 9, 357-424.

Shankar, D; J. P. McCreary, W. Han, and S. R. Shetye (1996): Dynamics of the East India Coastal Current. 1. Analytic solutions forced by interior Ekman pumping and local alongshore winds. *J. Geophys. Res.*, 101:13975–13991.

Shankar, D; P. N. Vinayachandran and A. S. Unnikrishnan (2002): The monsoon currents in the North Indian Ocean. *Progress in Oceanography*, 52:63–120, 2002.

Sharma, G.S (1976): Transequatorial movement of water masses in the Indian Ocean. *J.Mar.Res*, 34, 2, 143-154.

Shenoi, S.S.C, Gouveia, A.D, Shetye, S.R and Rao, L.V.G (1992): Satellite observations of the northeast monsoon coastal current, Proceedings of the PORSEC-'92, in Okinawa, *Conference for Pacific Ocean Environments & Probing*, 25-31 August, 1992, Vol. 2, Okinawa, Japan, pp. 796-801

Shenoi, S. S. C, R. Shetye, A. D. Gouveia, and G. S. Micheal (1993): Salinity extrema in the Arabian Sea. In V. Ittikkot and R. R. Nair, editors, *Monsoon Biogeochemistry*, pages 37–49. Mitt Geol. Palaont. Inst. Univ. Hamburg, Hamburg, Germany.

Shenoi, S. S. C., Saji, P. K., and Almeida, A. M. (1999): Near-surface circulation and kinetic energy in the tropical Indian Ocean derived from Lagrangian drifters. *J. Mar. Res.*, 57, 885–907.

Shetye, S. R., Gouveia, A. D., Shenoi, S. S. C., Sundar, D., Michael, G. S., Almeida, A. M., and Santanam, K. (1990): Hydrography and circulation off the west coast of India during the Southwest Monsoon 1987. *J. Mar. Res.*, 48, 359–378.

Shetye, S.R., S.S.C. Shenoi, A.D. Gouveia, G.S. Michael, D. Sundar, G. Nampoothiri, (1991): Wind-driven coastal upwelling along the western boundary of the Bay of Bengal during the southwest monsoon, *Continental Shelf Research*, 11, 1397-1408.

Shetye, S. R., Gouveia, A. D., Shenoi, S. S. C., Sundar, D., Michael, G. S., and Nampoothiri, G. (1993): The western boundary current of the seasonal subtropical gyre in the Bay of Bengal. *J. Geophys. Res.*, 98, 945–954.

Shetye S.R, Gouveia, A.D and Shenoi, S.S.C (1994): Circulation and water masses of the Arabian Sea, *Proc. Ind. Acad. Sci. (Earth Planet. Sci.)*, Vol. 103, No. 2, pp. 107-123.

Shetye, S. R., Gouveia, A. D., Shenoi, S. S. C., Vinayachandran, P. N., Sundar, D., Michael, G. S., and Nampoothiri, G. (1996): Hydrography and circulation in the western Bay of Bengal during the northeast monsoon. *J. Geophys. Res.*, 101, 14011–14025.

Shetye, S (1998): West India Coastal Current and Lakshadweep High / Low. *Sadhana*, vol.23 Parts 5&6, Oct & Dec 1998, 637-651.

Shi, W., Morrison, J. M., Bohm, E., and Manghnani, V. (1999): Remotely sensed features in the US JGOFS Arabian Sea Process Study. *Deep-Sea Res.* II, 46, 1551-1575.

Smith, R. L., Huyer, A., Godfrey, J. S., and Church, J. A. (1991): The Leeuwin Current off western Australia, 1986–1987. *J. Phys. Oceanogr.*, 21, 322–345.

Sprintall, J., Gordon, A., Murtugudde, R., and Susanto, D. (2000): A semiannual Indian Ocean forced Kelvin wave observed in the Indonesian Seas in May 1997. *J. Geophys. Res.*, 105, 17217–17230.

Stewart, R. H. (2005): Introduction to physical Oceanography. Department of Oceanography, Texas A&M University

Stommel, H. (1948): The westward intensification of wind driven ocean currents. *Trans. Amer. Geophys. Un.*, Vol. 29, No. 2.

Stommel, H. (1958): The abyssal circulation. *Deep-Sea Res.*, 5, 80–82.

Stramma, L. (1992): The South Indian Ocean Current, *J. Phys. Oceanogr.*, 22, 412–430.

Stramma, L., Fischer, J., and Schott, F. (1996). The flow field off southwest India at 8°N during the southwest monsoon of August 1993. *J. Mar. Res.*, 54, 55–72.

Stramma, L. and Lutjeharms, J. R. E. (1997): The flow field of the subtropical gyre of the South Indian Ocean, *J. Geophys. Res.*, 102(C3), 5513–5530.

Stramma, L., Brandt, P., Schott, F., Quadfasel, D., and Fischer, J. (2002): Winter and summer monsoon water mass and heat transport changes in the Arabian Sea near 8°N. *Deep-Sea Res.* II, 49, 1173–1195.

Summerhayes, C. P., Eds (1995): Upwelling in the Ocean: Modern Processes and ancient records. John Wiley & Sons. Chichester. 422

Sundararamam, K. V., Balakrishna Kurup, C. K. and Sreerama Murty, K. V. (1968): Water masses of the Arabian Sea in the upper 500 metres, *Bull. Natl. Inst. Sci. India*. Part I, No. 38, pp. 240–253.

Suryanarayana, A., V. S. N. Murty, Y. V. B. Sarma, M. T. Babu, D. P. Rao and J. S. Sastry (1992): Hydrographic features of the western Bay of Bengal in the upper 500m under the influence of NE and SW monsoons. *Article in the book 'Oceanography of the Indian Ocean' edited by B. N. Desai.*

Suryanarayana, A., Murty, V. S. N., Rao, D. P. (1993): Hydrography and circulation of the Bay of Bengal during early winter, 1983. *Deep-Sea Res.*, 40, 1, 205–217.

Sverdrup, H. U., Johnson, M. W. and Fleming, R. H. (1942): The Oceans: their physics, chemistry and general biology, Prentice-Hall Inc., 1087 p.

Swallow, J. (1967): The equatorial undercurrent in the western Indian Ocean in 1964. *Studies in Tropical Oceanography*, 5, 15–36.

Swallow, J. C., Schott, F., and Fieux, M. (1991): Structure and transport of the East African Coastal Current. *J. Geophys. Res.*, 96, 22254–22267.

Swapna,P (2005):Dynamics of large scale 3-dimensional circulation of the Indian ocean, *Ph.d thesis submitted to Goa University* 136pp

Taft, B. A. (1967): Equatorial undercurrent of the Indian Ocean, (1963). *Studies in Tropical Oceanography*, 40, 3–14.

Thompson,R.O.R.Y.(1984): Observations of the Leeuwin Current off western Australia. *J.Phys.Oceanog.* 14, 623-628.

Tomczak, M. and J. S. Godfrey, (1994): Regional Oceanography: An Introduction. Pergamon Press, oxford, London.442pp.

Tomczak, M. and J. S. Godfrey, (2003): Regional Oceanography: An Introduction. Daya Publishing House, Delhi.390pp

Tomczak, M., (1998): Shelf and Coastal Oceanography. Lecture notes <http://www.incois.gov.in/Tutor/index5.html>

UNESCO (1981): The Practical Salinity Scale1978 and the International Equation of State of sea water 1980. *Tech.Pap.mar.Sci.*, 36, 25pp.

UNESCO (1987): International Oceanographic Tables, Vol.4. Properties derived from the International Equation of State of Sea water, 1980. *Tech.Pap. Mar.Sci.*, 40:195pp.

Unnikrishnan, A.S., Murty, V. S. N., Babu, M. T., Gopinathan, C. K., and Charyulu, R. J. K. (2001): Anomalous current structure in the eastern equatorial Indian Ocean during the south-west monsoon of 1994. *Mar. Freshwater Res.*, 52, 5, 727 – 734

Varadachari, V.V.R., Murty,C.S. and Das,P.K.(1968): On the level of least motion and the circulation in the upper layers of the Bay of Bengal. *Bulletin of National Institute of Sciences India* 38,Part-1, 301-307.

Varkey, M.J.(1986): Salt balance and mixing in the bay of Bengal. *Ph.D thesis. University of kerala*, Trivandrum, India.

Varkey, M.J and. Sastry, J.S (1992): Characteristic Mixing Triangles in the Bay of Bengal, In: *Physical Processes in the Indian Seas* (Proc. First Convention, ISPSO, 1990), pp. 47-50.

Varkey,M.J; V.S.N. Murty,; A.Suryanaryana, (1996): Physical Oceanography of the Bay of Bengal and Andaman sea. *Oceanogr.& Mar.Biol, Ann.Rev.* Vol.34, 70pp.

Varma, K.K, Kesava Das, V and Gouveia, A.D (1980): Thermohaline Structure & Watermasses in the Northern Arabian Sea during February-April. *Ind. J Mar. Sci.*, Vol. 9, pp. 148-155.

Vecchi, G.A., S.-P. Xie, and A.S. Fischer (2004): Upwelling along Somalia coast. *J. Climate*

Vinayachandran, P.N., S.R. Shetye, D. Sengupta, S. Gadgil, (1996): Forcing mechanisms of the Bay of Bengal circulation, *Current Science*, 71, 753-763.

Vinayachandran, P. N., and Yamagata, T. (1998): Monsoon response of the sea around Sri Lanka: Generation of thermal domes and anticyclonic vortices. *J. Phys. Oceanogr.*, 28, 1946–1960.

Vinayachandran, P. N., Masamoto, Y., Mikawa, T., and Yamagata, T. (1999a): Intrusion of the Southwest Monsoon Current into the Bay of Bengal. *J. Geophys. Res.*, 104, 11077–11085.

Vinayachandran, P. N., Saji, N. H., and Yamagata, T. (1999b): Response of the equatorial Indian Ocean to an unusual wind event during 1994. *Geophys. Res. Lett.*, 26, 1613–1616.

Walter, M. (1997): Die Zirkulation des westlichen tropischen Indischen Ozeans im Sommer 1995. *Dipl. Thesis. University of Kiel.*

Wyrtki, K. (1961): Physical Oceanography of the Southeast Asian waters, vol. 2, 1-195, *NAGA Rep., Scripps Institute of Oceanography*, University of California, San Diego.

Wyrtki, K., (1964): The thermal structure of the eastern Pacific Ocean, *Dtsch. Hydrogr. Ze*, Supplement A8, 6-84.

Wyrtki, K. (1971): Oceanographic Atlas of the International Indian Ocean Expedition. *National Science Foundation*, Washington D.C., 531 pp.

Wyrtki, K. (1973a): An Equatorial Jet in the Indian Ocean. *Science*, 181, 262–264.

Wyrtki, K. (1973b): Physical oceanography of the Indian Ocean. Vol. 3 of Ecological studies: analysis and synthesis. In B. Zeitschel, and S. A. Gerlach (Eds.), *Biology of the Indian Ocean* (pp. 1836). London: Chapman and Hall Ltd.

Xie, S.P(2004) Ocean Upwelling Slows Wind Jet off Africa's Coast. *Bull. Amer. Meteor. Soc.*)

Yu, L., J.J. O'Brien, J. Yang, (1991), On the remote forcing of the circulation in the Bay of Bengal, *J. Geophys. Res.*, 96, 20449-20454.

WEB SITES USED

www.indianocean.free.fr/ref.2.html#tomczak)

(www.daac.gsfc.nasa.gov/oceancolor/scifocus/modis/indianmonsoon-Fig.3.png)

<http://www.aviso.oceanobs.com/index.php?>

<http://www.sciencedaily.com/images/2008>

URI:<http://hdl.handle.net/2264/93> (www.drs.nio.org)

URI:<http://hdl.handle.net/2264/2276>.

NOAA, 2002. www.pmel.noaa.gov.

www.seafriends.org.nz/oceano/beachnew.htm